AUTO DOORS AT VARIOUS BUILDINGS

MOORPARK COLLEGE

7075 CAMPUS ROAD MOORPARK, CA 93021 SUBMITTAL: BID SET DATE: 10/15/2024

SCOPE OF WORK

1. REPLACE 6 AUTO DOORS. 2. ADD KEYCARD ACCESS TO NEW AUTO DOORS.

DRAWING LIST

G000 TITLE SHEET


G001 GENERAL NOTES, ABBREVIATIONS & SYMBOLS G002 WIREMOLD SPECS

ARCHITECTURAL A100 CAMPUS SITE PLAN

GRAND TOTAL: 8

A101 MEDIA ARTS BUILDING - DEMO AND NEW PLAN A102 GYMNASIUM - DEMO AND NEW PLAN A103 LIFE / MATH / COMPUTER SCIENCE - DEMO AND NEW PLAN A500 DOOR SCHEDULE AND DETAILS

VICINITY MAP



PROJECT TEAM

ARCHITECT AMADOR 28328 AGOURA RD. #203 AGOURA HILLS, CA 91301 (805) 530 - 3938



7075 CAMPUS RD MOORPARK, CA 93021 TEL: (805) 378 - 1400

PROJECT TITLE AND SCHOOL LOCATION

AUTO DOORS AT VARIOUS BUILDINGS

7075 CAMPUS ROAD MOORPARK, CA 93021

COMMISSIONED ARCHITECT

AMADOR

amador whittle architects, inc. 28328 AGOURA RD, 203 | AGOURA HILLS CA, 91301 | 805-558-4334

STAMPS/SEALS

TITLE SHEET



GENERAL NOTES

- 1. INTERPRETATION OF CONSTRUCTION DOCUMENTS ALL INFORMATION DEPICTED IN THESE DRAWINGS AND RELATIVE TO EXISTING CONDITIONS IS BASED ON THE BEST AVAILABLE DATA AT THE TIME THESE CONSTRUCTION DOCUMENTS WERE BEING EXCECUTED, BUT WITHOUT GUARANTEE OF ACCURACY. CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE AND
 - SHALL REPORT ANY DISCREPANICES TO ARCHITECT PRIOR TO COMMENCING ANY WORK. THE CONTRACTOR IS RESPONSIBLE FOR ALL COSTS INCURRED RESULTING FROM THE REMOVAL OR REPLACEMENT OF WORK INSTALLED WITHOUT PROPER COORDINATION TO ALL OTHER TRADES, AND/OR PRIOR TO OBTAINING CLARIFICATION FROM THE ARCHITECT WHERE CONFLICTING INFORMATION EXISTS ON THE DRAWINGS. THE CONTRACTOR SHALL FURNISH ALL BIDDERS WITH A COMPLETE SET OF CONSTRUCTION DOCUMENTS,
- INCLUDING BUT NOT LIMITED TO DRAWINGS, SPECIFICATIONS AND ADDENDUMS. THE CONTRACTOR IN CONJUNCTION WITH HIS SUBCONTRACTORS SHALL INCLUDE COMPLETE COORDINATION BETWEEN THE VARIOUS DISCIPLINES AS WELL AS ALL OTHER REQUIREMENTS OF THESE CONSTRUCTION DOCUMENTS, INCLUDING BUT NOT LIMITED TO CODE AND PUBLIC UTILITY REQUIREMENTS. FURTHER, WHERE THERE ARE CONFLICTING SOLUTIONS IN THE CONSTRUCTION DOCUMENTS, ALL SUCH ITEMS WILL BE CONSIDERED TO INCLUDE THE MOST STRINGENT OF THE POSSIBLE SOLUTIONS DEPICTED IN THE CONSTRUCTION DOCUMENTS. MODIFICATIONS OF DETAILS OF CONSTRUCTION SHALL NOT BE MADE WITHOUT WRITTEN APPROVAL OF THE
- CONTRACTOR SHALL VISIT THE SITE TO INVESTIGATE AND VERIFY ALL DIMENSIONS AND EXISTING SITE CONDITIONS AT JOB SITE PRIOR TO START OF WORK.
- ALL DIMENSIONS INDICATED ARE BELIEVED TO BE ACCURATE, BUT ARE NOT GUARANTEED TO BE SO. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT. COORDINATE WITH EXISTING CONDITIONS WHERE INSUFFICIENT DETAIL DIMENSIONS ARE AVAILABLE. ALL DIMENSIONS ARE TO FINISHED FACE OF CONSTRUCTION OR CENTERLINE OF COLUMNS UNLESS NOTED OTHERWISE. DIMENSIONS NOTED AT "CLR" (CLEAR) ARE
- DIMENSIONS SHOWN SHALL HAVE PREFERENCE OVER SCALE. DO NOT SCALE DRAWINGS. DIMENSIONS ARE TAKEN FROM FACE OF EXISTING FINISH SURFACE OR FACE OF NEW STUD, UNLESS NOTED OTHERWISE.
- ALL ITEMS INCLUDING BUILDINGS SHOWN ARE NEW UNLESS NOTED EXISTING (E).

NOT ADJUSTABLE WITHOUT ARCHITECT'S APPROVAL.

- CONTRACTOR SHALL TAKE ALL PRECAUTIONARY MEASURES TO PROTECT EXISTING PIPELINES AND UTILITIES THAT ARE TO REMAIN IN SERVICE. CONTRACTOR SHALL VERIFY THAT THOSE PIPELINES AND UTILITIES TO BE REMOVED HAVE BEEN DISCONNECTED, SHUT DOWN OR ABANDONED PRIOR TO ATTEMPTING REMOVAL OR DEMOLITION IN A MANNER TO AVOID ANY DISRUPTION OF EXISTING FACILITIES.
- CONTRACTOR SHALL PROTECT ALL SURFACES & FIXTURES TO REMAIN DURING DEMOLITION AND CONSTRUCTION.
- ALL DAMAGE DONE TO EXISTING CONSTRUCTION AS A RESULT OF DEMOLITION OR INSTALLATION SHALL BE COMPLETELY REPAIRED BY CONTRACTOR AT OR NO COST TO OWNER. REPAIRED WORK SHALL MATCH EXISTING CONSTRUCTION.
- 9. CONTRACTOR SHALL REPAIR AND PATCH UP ALL DAMAGES TO EXISTING SURFACES CAUSED BY REMOVAL OF EXISTING EQUIPMENT ATTACHED TO EXISTING SURFACES. (CHALKBOARDS, BOOKSHELVES, TACKBOARDS, WALL HEATERS, PIPING,
- WHERE PATCHES ARE REQUIRED IN EXISTING, SURFACES ADJACENT MATERIAL SHALL BE MATCHED IN TEXTURE AND
- "DEMOLISH" AND "REMOVE" SHALL MEAN TO DEMOLISH, REMOVE FROM THE SITE AND DISPOSE OF IN A LEGAL MANNER UNLESS NOTED OTEHRWISE. TERMINATE PIPING BELOW SUBSTRATE FOR PATCHING. ELECTRICAL WIRE DISCONNECT SHALL BE AT THE SOURCE OF POWER.
- CONTRACTOR TO HAVE ALL SALVAGE RIGHTS TO ALL DEMOLISHED COMPONENTS AND EQUIPMENT. SALVAGE RIGHTS TO BE REFLECTED IN THE BID PROPOSAL TO THE DISTRICT BY WAY OF A BID REDUCTION. THE DISTRICT DOES NOT WANT ANY DEMOLISHED COMPONENTS OR EQUIPMENT BACK.
- 13. CONTRACTOR SHALL THOROUGHLY CLEAN AND SECURE THE AREA OF CONSTRUCTION AFTER EACH DAY OF WORK. CONTRACTOR SHALL REMOVE AND DISPOSE OF ALL CONSTRUCTION DEBRIS OFF SITE.
- LOCATIONS OF STRUCTURES, UNDERGROUND PIPELINES AND UTILITIES WERE OBTAINED FROM AVAILABLE RECORDS. THE CONTRACTOR SHALL FIELD VERIFY THE LOCATIONS AND ELEVATIONS OF ALL PIPELINES AND UTILITIES BEFORE COMMENCING DEMOLITON, EARTHWORK OR CONSTRUCTION WORK.
- 15. GENERAL CONTRACTOR SHALL VERIFY ALL SITE CONDITIONS PRIOR TO START OF CONSTRUCTION. ALL QUESTIONS SHALL BE SENT TO ARCHITECT.
- 16. ALL SALVAGEABLE MATERIALS AND EQUIPMENT TO BE REMOVED SHALL REMAIN THE SOLE PROPERTY OF THE OWNER. THE CONTRACTOR SHALL CONSULT WITH THE OWNER CONCERNING STORAGE AND/OR DISPOSAL OF SUCH EQUIPMENT. OWNER HAS FULL SALVAGE RIGHTS. ALL REMOVED MATERIALS OTHER THAN ITEMS TO BE SALVAGED, OR REUSED SHALL

BECOME CONTRACTOR'S PROPERTY AND SHALL BE REMOVED FROM THE PROJECT SITE.

- ALL WORK, INCLUDING REMOVAL OF EXISTING WORK, SHALL BE PERFORMED IN A MANNER THAT MINIMIZES THE AMOUNT OF NOISE, DUST, TRAFFIC AND/OR OTHER FORMS OF DISTURBANCES IN COMPLIANCE WITH ALL APPLICABLE CODES AND ORDINANCES SO THAT THE PUBLIC, STUDENTS AND STAFF, AS WELL AS OTHER OCCUPIED AREAS OF THE SCHOOL ARE SUBJECTED TO AS LITTLE DISRUPTION AS REASONABLY POSSIBLE.
- ROUTES OF INGRESS AND EGRESS FOR MATERIALS AND WORKMEN, AND LIMITS OF THE PROJECT AREA MAY BE DESIGNATED BY THE OWNER. THE CONTRACTOR SHALL CONFINE HIS ACTIVITES WITHIN SUCH LIMITS. THE CONTRACTOR SHALL INSTALL AND MAINTAIN ADEQUATE SAFETY AND DUST BARRIERS IN THE SITE, ACROSS CORRIDORS AND ELSEWHERE AS REQUIRED.
- SHUT DOWN OF EXISTING AND OPERATING PLUMBING, MECHANICAL AND ELECTRICAL SYSTEMS OR PORTIONS THEREOF SHALL BE COORDINATED IN ADVANCE WITH THE OWNER.
- 20. CONTRACTOR SHALL COORDINATE ALL WORK SHOWN ON THE ARCHITECTURAL DRAWINGS WITH THE SPECIFICATIONS AND THE WORK SHOWN ON THE MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS. ANY DISCREPANCIES FOUND SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT IN WRITIING BEFORE PROCEEDING WITH ANY RELATED WORK.
- CONTRACTOR SHALL BE RESPONSIBLE FOR THE FIRE RATING CONTINUITY OF STRUCTURE, WALLS, FLOOR AND CEILINGS INTERRUPTED BY THE WORK OF ALL TRADES. THIS INCLUDES, BUT IS NOT LIMITED TO, FIRE RATED ENCLOSURES AT THE CEILING AND WALLS OF CORRIDORS AND STORAGE ROOMS, AND DUCT SHAFTS.
- PROVIDE ALL NECESSARY BLOCKING, BACKING AND FRAMING FOR LIGHT FIXTURES, ELECTRICAL UNITS, A/C EQUIPMENT, TOILET FIXTURES & ACCESSORIES, RAILINGS, GRAB BARS, AND ALL OTHERS REQUIRING SAME.
- 23. CEILING HEIGHT DIMENSIONS ARE FROM FINISH FLOOR TO FINISH FACE OF CEILING.
- 24. WHERE NEW WALLS ALIGNS WITH EXISTING WALL, PROVIDE SMOOTH INVISIBLE TRANSITION BETWEEN NEW AND EXISTING.
- 25. NEW GYPSUM BOARD FINISH SHALL BE 5/8" TYPE 'X' OR AS REQUIRED FOR UL FIRE-RATING AS INDICATED ON DRAWINGS.
- 26. GENERAL CONTRACTOR SHALL PROVIDE TEMPORARY EIGHT (8) FEET HIGH CHAIN LINK FENCE BARRICADES AT WORK AREAS, DISTRICT APPROVED STORAGE AREAS AND WHEREVER NECESSARY TO MAINTAIN A SAFE PASSAGE AND SAFE ENVIRONMENT.

BEFORE PROCEEDING WITH THE CORING OR CUTTING OF WALLS AND FLOORS, ETC., THE CONTRACTOR SHALL PREPARE

- LAYOUT OF CUTTING OR CORING AND SHALL HAVE THE APPROVAL BY THE STRUCTURAL ENGINEER AND THE D.S.A. FIELD DISTRICT ENGINEER IN ORDER TO PROCEED WITH THE CUTTING OR CORING. 28. SAW-CUT EXISTING A.C. PAVING AND/OR CONCRETE FLOOR SLAB AS REQUIRED FOR NEW PIPE INSTALLATION AND NEW
- DEPRESSED CONCRETE SLAB, AND REPAIR TO MATCH EXISTING.
- 29. STRENGTH OF CONCRETE: SLABS ON EARTH, SIDEWALKS AND CURBS: 3,000 PSI AT 28 DAYS
- FOUNTATIONS: 3,000 PSI AT 28 DAYS FILL ON METAL DECK (LIGHTWEIGHT): 3,000 PSI AT 28 DAYS
- 30. THE CONTRACTOR SHALL NOT COMMENCE THE WORK, IN PART OR IN FULL, PRIOR TO OBTAINING THE NOTICE-TO-
- 31. IN CASE OF CONFLICT, THE MORE EXPENSIVE CONSTRUCTION MEANS AND METHOD SHALL BE USED.
- 32. THE PROVISIONS OF CFC AND CBC CHAPTERS 7,11 & 33 SHALL BE ENFORCED ON THIS PROJECT.
- 33. NO DEFERRED SUBMITTAL ITEMS.

GENERAL REQUIREMENTS

- THIS PROJECT SHALL COMPLY WITH THE 2019 EDITION OF THE CALIFORNIA CODE OF REGULATIONS TITLE 24 WHICH INCLUDES THE 2022 CALIFORNIA BUILDING CODE, THE CALIFORNIA GREEN BUILDING STANDARDS CODE AND THE 2022 CALIFORNIA FIRE CODE BASED ON THE 2018 INTERNATIONAL FIRE CODE, AND ADOPTS THE 2018 IBC, 2019 UMC, 2019 UPC, AND THE 2017 NEC.
- 2. WORK PERFORMED SHALL COMPLY WITH THE FOLLOWING:
- A. THESE GENERAL NOTES UNLESS OTHERWISE NOTED ON PLANS OR SPECIFICATIONS, INTERNATIONAL BUILDING CODE, ALL APPLICABLE LOCAL, STATE AND FEDERAL CODES, ORDINANCES, LAWS, REGULATIONS AND PROTECTIVE COVENANTS GOVERNING THE SITE OF WORK.
- STANDARD SPECIFICATIONS OF ASTM. IN CASE OF CONFLICT, THE MORE STRINGENT REQUIREMENTS SHALL GOVERN.
- "OR EQUAL": THE CONTRACTOR SHALL SUBMIT FOR THE ARCHITECT'S APPROVAL ALL MATERIALS OR EQUIPMENT WHICH IS CONSIDERED "OR EQUAL" TO THAT SPECIFIED.

3. ON SITE VERIFICATION:

OF ALL DIMENSIONS AND CONDITIONS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AND SUB-CONTRACTORS. NOTED DIMENSIONS TAKE PRECEDENT OVER SCALE. EACH CONTRACTOR OR SUB-CONTRACTOR SHALL REPORT TO PROJECT SUPERINTENDENT ALL CONDITIONS WHICH PREVENT THE PROPER EXECUTION OF THEIR WORK.

4. CLIENT'S ARCHITECT AND PROJECT SUPERINTENDENT:

TO BE NOTIFIED IMMEDIATELY BY CONTRACTOR OR SUB-CONTRACTOR SHOULD ANY DISCREPANCY OR OTHER QUESTION ARISE PERTAINING TO THE WORKING DRAWINGS AND/OR SPECIFICATIONS. THE CONTRACTOR SHALL BE HELD RESPONSIBLE FOR THE RESULTS OF ANY ERRORS, DISCREPANCIES, OR OMISSIONS WHICH THE CONTRACTOR FAILED TO NOTIFY THE ARCHITECT OF BEFORE CONSTRUCTION AND/OR FABRICATION OF THE WORK.

SUB-CONTRACTOR:

SHALL INSURE THAT ALL WORK IS DONE IN A PROFESSIONAL WORKMANLIKE MANNER BY SKILLED MECHANICS AND SHALL REPLACE ANY MATERIALS OR ITEMS DAMAGED BY SUB-CONTRACTORS' PERFORMANCE. SUB-CONTRACTORS AND SUPPLIERS ARE HEREBY NOTIFIED THAT THEY ARE TO CONFER AND COOPERATE FULLY WITH EACH OTHER DURING THE COURSE OF CONSTRUCTION TO DETERMINE THE EXACT EXTENT AND OVERLAP OF EACH OTHER'S WORK AND TO SUCCESSFULLY COMPLETE THE EXECUTION OF THE WORK. ALL SUB-CONTRACTOR WORKMANSHIP WILL BE OF QUALITY TO PASS INSPECTIONS BY LOCAL AUTHORITIES, LENDING INSTITUTIONS OR ARCHITECT. ANY ONE OR ALL OF THE ABOVE MENTIONED INSPECTORS MAY INSPECT WORKMANSHIP AT ANY TIME, AND ANY CORRECTIONS NEEDED TO ENHANCE THE QUALITY OF BUILDING WILL BE DONE IMMEDIATELY. EACH SUB-CONTRACTOR, UNLESS SPECIFICALLY EXEMPTED BY THE TERMS OF HIS SUB-CONTRACT AGREEMENT, SHALL BE RESPONSIBLE FOR CLEANING UP AND REMOVING FROM THE JOB SITE ALL TRASH AND DEBRIS NOT LEFT BY OTHER SUB-CONTRACTORS, CONTRACTOR WILL DETERMINE HOW SOON AFTER SUB-CONTRACTOR COMPLETED EACH PHASE OF HIS WORK THAT TRASH AND DEBRIS WILL BE REMOVED FROM THE SITE.

APPLICABLE CODES

LIST OF 2022 CALIFORNIA CODE OF REGULATIONS (C.C.R.):

APPLICABLE CODES AS OF JANUARY 1, 2023

PART 4 - 2022 CALIFORNIA MECHANICAL CODE, TITLE 24 C.C.R.

2022 CALIFORNIA BUILDING STANDARDS ADMINISTRATIVE CODE, TITLE 24 C.C.R.

2022 CALIFORNIA BUILDING CODE, TITLE 24 C.C.R. (2018 INTERNATIONAL BUILDING CODE OF THE INTERNATIONAL CODE COUNCIL, WITH CALIFORNIA AMENDMENTS)

2022 CALIFORNIA ELECTRICAL CODE, TITLE 24 C.C.R. (2017 NATIONAL ELECTRICAL CODE OF THE NATIONAL FIRE PROTECTION ASSOCIATION, NFPA)

(2018 UNIFORM MECHANICAL CODE OF THE INTERNATIONAL ASSOCIATION OF PLUMBING AND MECHANICAL OFFICIALS, IAPMO)

2022 CALIFORNIA PLUMBING CODE, TITLE 24 C.C.R. (2018 UNIFORM PLUMBING CODE OF THE INTERNATIONAL ASSOCIATION OF PLUMBING AND MECHANICAL OFFICIALS, IAPMO)

2022 CALIFORNIA ENERGY CODE, TITLE 24 C.C.R.

CURRENTLY VACANT

PART 8 - 2022 CALIFORNIA HISTORICAL BUILDING CODE, TITLE 24 C.C.R.

2022 CALIFORNIA FIRE CODE, TITLE 24 C.C.R. (2018 INTERNATIONAL FIRE CODE OF THE INTERNATIONAL CODE COUNCIL)

2022 CALIFORNIA EXISTING BUILDING CODE (2018 INTERNATIONAL EXISTING BUILDING CODE OF THE INTERNATIONAL CODE COUNCIL, WITH

2022 CALIFORNIA GREEN BUILDING STANDARDS CODE (CALGREEN CODE),

PART 12 - 2022 CALIFORNIA REFERENCE STANDARDS CODE, TITLE 24 C.C.R.

PARTIAL LIST OF APPLICABLE STANDARDS

2022 CALIFORNIA BUILDING CODE (FOR SFM) REFERENCED STANDARDS CHAP. 35

NFPA 13	AUTOMATIC SPRINKLER SYSTEMS	2016 EDITION
	(CALIFORNIA AMENDED)	
NFPA 14	STANDPIPE SYSTEMS (CALIFORNIA AMENDED)	2016 EDITION
NFPA 17	DRY CHEMICAL EXTINGUISHING SYSTEMS	2017 EDITION
NFPA 17a	WET CHEMICAL EXTINGUISHING SYSTEMS	2017 EDITION
NFPA 20	STATIONARY PUMPS	2016 EDITION
NFPA 24	PRIVATE FIRE SERVICE MAINS	2016 EDITION
	(CALIFORNIA AMENDED)	
NFPA 72	NATIONAL FIRE ALARM CODE	2016 EDITION
	(CALIFORNIA AMENDED) (NOTE: SEE UL STANDARD 1971 FOR	
	"VISUAL DEVICES")	
NFPA 80	FIRE DOOR AND OTHER OPENING PROTECTIVES	2016 EDITION
NFPA 253	CRITICAL RADIANT FLUX OF FLOOR COVERING SYSTEMS	2015 EDITION
NFPA 2001	CLEAN AGENT FIRE EXTINGUISHING SYSTEMS	2015 EDITION

DEPARTMENT OF JUSTICE REGULATIONS FOR TITLE II OF THE AMERICANS WITH DISABILITIES ACT OF 1990 WITH REVISED REGULATIONS AS PUBLISHED IN THE FEDERAL REGISTER ON SEPTEMBER 15, 2010, EFFECTIVE MARCH 15, 2012. TITLED ADA STANDARDS FOR ACCESSIBLE DESIGN.

ARREVIATIONS

ABBREVIATIONS		<u>ABB</u>	ABBREVIATIONS	
&	AND	HT	HEIGHT	
(E)	EXISTING	IN	INCHES	
@	AT	INFO	INFORMATION	
A.B.	ANCHOR BOLT	INSUL	INSULATION	
A.C.	ASPHALTIC CONCRETE	INT	INTERIOR	
A.F.F.	ABOVE FINISH FLOOR	KD	KNOCK DOWN	
A/C	AIR CONDITIONER	LBS	POUNDS	
ACOUST	ACOUSTICAL	M.O.	MASONRY OPENING	
AL.	ALUMINUM	M.R.	MOISTURE RESISTANT	
ALUM ANOD	ALUMINUM ANODIZED	MATL MAX	MATERIAL MAXIMUM	
ARCH	ARCHITECTURAL	MECH	MECHANICAL	
BLDG	BUILDING	MFR	MANUFACTURER	
BLK	BLOCK OR BLOCKING	MIN	MINIMUM	
BOT	BOTTOM	MISC	MISCELLANEOUS	
C.I.	CAST IRON	MTL	METAL	
C.J.	CEILING JOIST	N.I.C.	NOT IN CONTRACT AND	
C.L.	CHAIN LINK		NOT PART OF THIS	
C.L.F.	CHAIN LINK FENCE	N.T.S.	APPLICATION NOT TO SCALE	
C.M.U.	CONCRETE MASONRY UNIT	N.1.3. N/A	NOT AVAILABLE	
CAB	CABINET	NO., #	NUMBER	
CLG	CEILING	0.C.	ON CENTER	
CLR COL	CLEAR COLUMN	OPNG	OPENING	
COL	CONCRETE	OPP	OPPOSITE	
CONST	CONSTRUCTION	PT	POINT	
CONT	CONTINUOUS	PWD	PLYWOOD	
d	PENNY	R	RISER	
D.F	DOUGLAS FIR	R.C.P.	REFLECTED CEILING PLAN	
DBL	DOUBLE	R.D.	ROOF DRAIN	
DEMO	DEMOLITION	R.O.	ROUGH OPENING	
DET	DETAIL	REF REFL	REFERENCE	
DIA.	DIAMETER	REINF	REFLECTED REINFORCING	
DIM	DIMENSION	REQ'D	REQUIRED	
DIV	DIVISION	REV	REVISION	
DR DS	DOOR DOWNSPOUT	RM	ROOM	
DWG	DRAWING	S.C.	SOLID CORE	
E.J.	EXPANSION JOINT	S.F.	SQUARE FEET	
EA	EACH	S.S.	STAINLESS STEEL	
ELEC	ELECTRICAL	SCHED	SCHEDULE	
EQ	EQUAL	SECT	SECTION	
EQUIP	EQUIPMENT	SHT	SHEET	
EXIST	EXISTING	SIM SQ	SIMILAR SQUARE	
EXP	EXPANSION	STD	STANDARD	
EXT	EXTERIOR	STL	STEEL	
F.D. F.E.	FLOOR DRAIN FIRE EXTINGUISHER	STOR	STORAGE	
F.E.C.	FIRE EXTINGUISHER	STRUCT	STRUCTURAL	
1 .L.O.	CABINET	SUSP	SUSPEND, SUSPENDED	
F.F.	FINISH FLOOR	T & G	TONGUE AND GROOVE	
F.G	FINISH GRADE	T.O.C.	TOP OF CURB	
F.R.	FIRE RATED, FIRE	T.O.P.	TOP OF PLATE	
=1.1	RESISTANT	T.O.P.	TOP OF PARAPET	
FIN	FINISH	T.O.W.	TOP OF WALL	
FLHT FLR	FULL HEIGHT FLOOR	TEL THK	TELEPHONE THICK	
FR.	FRAME	TYP	TYPICAL	
FT.	FOOT OR FEET	U.L.	UNDERWRITERS	
FTG	FOOTING	V.L.	LABORATORIES	
G.F.F.	GLASS FIBER FACED	U.N.O.	UNLESS NOTED	
G.I.	GALVANIZED IRON		OTHERWISE	
G.W.B.	GYPSUM WALLBOARD	V.I.F.	VERIFY IN FIELD	
GA	GAUGE	VERT	VERTICAL WATER HEATER	
GALV	GALVANIZED	W.H. W.R.	WATER HEATER WATER RESISTANCE	
GEN	GENERAL	w.K. W.W.M.	WELDED WIRE MESH	
GYP	GYPSUM	vv.vv.ivi. W/	WITH	
H.M. HDR	HOLLOW METAL HEADER	WD	WOOD	

WINDOW

HDR

HEADER

HIGH

LEGEND

<u>LEGEND</u>				
DRAWING REFERENCE	DDAMINO IDENTIFICATION			
	DRAWING IDENTIFICATION			
1 A101	DIRECTION INDICATOR (WHERE APPLIES)			
	SHEET NUMBER WHERE DRAWN			
DRAWING TITLE	- DRAWING NAME			
1) FLIENT RIBLAND				
	DRAWING IDENTIFICATION			
DETAIL REFERENCE	– DETAIL NUMBER			
1 A101	DETAIL NOWIDER			
	SHEET NUMBER WHERE DRAWN			
	SHEET NOWBER WHERE BRAWN			
COLUMN CENTERLINES	GRID LINE NUMBER			
A				
	- GRID LINE			
CONFERENCE ROOM	ROOM IDENTIFICATION			
101				
	ROOM NUMBER			
9.14	- KEY NOTES			
_	WALL TYPE, SEE 1/A5000			
	SIGN NUMBER, SEE SIGNAGE SCHEDULES			
c========	EXISTING WALL TO BE REMOVED			
	EXISTING ITEM TO BE REMOVED			
	NEW MASONRY WALL			
	EXISTING STUD WALL TO REMAIN			
	NEW STUD WALL			
	NEW 2-HR RATED STUD WALL			
4 4 4 4	EXISTING CONCRETE WALL/COLUMN TO REMAIN			
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	NEW CONCRETE WALL			
101	DOOR REFERENCE, SEE SHEET A601			
C	WINDOW REFERENCE, SEE SHEET A601			
TOP OF STEEL	ITEM BEING REFERENCED			
	DATUM ELEVATION			
	5'-0" DIAMETER CLEAR SPACE			
	30" X 48" CLEAR SPACE			



7075 CAMPUS RD MOORPARK, CA 93021 TEL: (805) 378 - 1400

PROJECT TITLE AND SCHOOL LOCATION

AUTO DOORS AT VARIOUS BUILDINGS

7075 CAMPUS ROAD MOORPARK, CA 9302'

COMMISSIONED ARCHITECT

CONSULTANT

STAMPS/SEALS

amador whittle architects, in 28328 AGOURA RD, 203 | AGOURA HILLS CA, 91301 | 805-558-4334

SHEET TITLE:

GENERAL NOTES, SYMBOLS


PROJECT NO. 23-MPC-048



Two-Piece Stainless Steel Surface Raceway

In response to market demand, Wiremold® also offers our versatile 4000® Series Raceway in stainless steel. The unique combination of strength and beauty not only makes stainless steel raceway highly functional, but also an attractive design element.

Ideal for installations where atmospheric corrosives or acidic cleaning solvents make rust a particular concern, S4000 Series Raceway provides all the benefits of the industry-standard Steel 4000 Series Raceway. The smooth brushed finish provides a sleek, polished look to



FEATU


available in various lengths.


- 4050 Nonmetallic Device Plates. Overlapping design covers seams. The gray or ivory plastic mounting plates accept a wide variety of device configurations.
- Datacom connectivity options. Accepts industry standard and proprietary devices from a wide range of manufacturers to provide a seamless and aesthetically pleasing interface for voice, data, audio, and video applications at the point of use.
- Stainless steel cover and base with brushed finish. S4000 Raceway is formed from type 304 stainless steel with a #4 brush finish, providing a polished, high tech look to compliment other design elements selected.
- Tough, corrosion resistant surface. Stainless steel offers durable protection in laboratories, hospitals or food processing areas where corrosive solvents, acid splashes or scalding is a concern.


JRES	& BENEFITS
ın	■ Shares components with Wiremold 4000 Steel


- Raceway Series. S4000 base and cover, and steel 4000 Series are made in the same gauge (.050" [1.25mm] base and .040" [.25mm] cover) and use the same divider, divider clips, and couplings.
- Labor saving pre-cut covers and bases. Minimizes field cutting and offers flexibility in outlet centers without cutting covers.
- UL Listed; CSA Certified. Raceway file E4376, Fittings file E41751, CSA; Raceway file LR-350, Fittings file
- UL5 and ADA compliant. Raceway and fittings meet
- UL5 specifications and can be installed in conformance with ADA requirements.


ED417R9 🛘 Updated February 2021 🖨 For latest specs visit www.legrand.us/wiremold




















amador whittle architects, in

WIREMOLD SPECS

PROJECT NO. 23-MPC-048 DRAWN: PVP

SHEET NUMBER:




BUILDINGS LEGEND

BUILDING	A#	CERTIFICATION DAT
A ADMINISTRATION	A#27079	01/23/1979
AA APPLIED ARTS	A#27214	01/20/1969
AC ACADEMIC CENTER	A#03-110305	01/05/2015
CC CAMPUS CENTER	A#27214	01/20/1969
CDC CHILD DEVELOPMENT CENTER	A#03-107539	07/29/2010
MA MEDIA ARTS	A#51411	02/09/1995
FH FOUNTAIN HALL	A#03-108616	
HS HEALTH SCIENCE	A#03-111305	******
HSS HUMANITIES / SOCIAL SCIENCE	A#35424	02/05/1976
LR LIBRARY / LEARNING SOURCES	A#03-104726	
LM LIFE / MATH / COMPUTER SCIENCE	A#27214	01/20/1969
MB MUSIC	A#35424	02/05/1976
MO MAINTENANCE / OPERATIONS	A#27079	01/23/1969
O OBSERVATORY	A#47124	04/05/1989
PA PERFORMING ARTS	A#57288	08/08/1999
PS PHYSICAL SCIENCE	A#27214	01/20/1969
SS STUDENT SERVICES	A#40577	12/12/1978
T TECHNOLOGY / BUSINESS	A#31714	06/16/1971
GM GYMNASIUM	A#27349	08/21/1968
Z Z00	A#03-111321	05/23/2013
PSP PARKING STRUCTURE / POLICE STATION	A#03-111021	11/15/2016

<u>LEGEND</u>

EXISTING BUILDINGS - NOT PART OF SCOPE OF WORK



(E)FH (E) FIRE HYDRANT



7075 CAMPUS RD MOORPARK, CA 93021 TEL: (805) 378 - 1400

PROJECT TITLE AND SCHOOL LOCATION

AUTO DOORS AT VARIOUS BUILDINGS

7075 CAMPUS ROAD MOORPARK, CA 93021

COMMISSIONED ARCHITECT

amador whittle architects, inc. 28328 AGOURA RD, 203 | AGOURA HILLS CA, 91301 | 805-558-4334

STAMPS/SEALS



CAMPUS SITE PLAN

PROJECT NO. 23-MPC-048

10/15/2024



